GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Water Resources Department – Vigilance and Enforcement Report – Allegations of irregularities in execution of work "Raising and widening of flood bank from Yanam to Tallarevu form km 0.000 to km 5.800 to 1986 flood standards" in East Godavari District taken up by Water Rersources department, i.e Godavari Eastern Division, Irrigation Circle, Dowlaiswram– Disciplinary proceedings against certain Engineers of Water Resources Department under Rule 20 of APCS(CC&A) Rules, 1991 - Appointment of the Chief Engineer, Godavari Delta System, Dowlaiswaram as Inquiring Authority – Orders- Issued.

WATER RESOURCES (Vig.II-V&E.2) DEPARTMENT

G.O.RT.No. 348 Dated: 07-07-2017

Read the following:-

Ref	1	From the Director General (Vig.&Enft.) & E.O. Prl.Secy. to Govt., G.A.D. Vigilance Report no. 29(C.No. 424/ V&E /E1/2013) dt. 25.03.2015.
	2	G.Os.Rt.No.174-179, W.R (Vig.II (V&E.2)) Dept., dated 02.03.2016.
	3	Sri K.Ramana, Dy.SE, WSD, Dated: 30.06.2016
	4	Sri M.V.Raja Rao, EE (Retd), WSD, Dated: 25.07.2016
	5	Sri V.Narasimha Rao, DEE, WSD, Dated: 26.05.2016
	6	Sri J.Suresh Babu, DEE, WSD, Dated: 08.07.2016
	7	Sri J.L.Nagaraju, AE,WSD, Dated: 30.06.2016

<<<>>>.

ORDER

Whereas, an enquiry under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against the following officers:-

Sl.No.	Name of the officer & Designation
1	Sri K.Ramana, Dy.SE,
2	Sri M.V.Raja Rao, EE (Retd),
3	Sri V.Narasimha Rao, DEE,
4	Sri J.Suresh Babu, DEE,
5	Sri J.L.Nagaraju, AE.

2. And whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against the above said officers.

3. Now, therefore, in exercise of the powers conferred by Sub-rule (2) of Rule 20 of the said rules, the disciplinary Authority hereby appoints the Chief Engineer, Godavari Delta System, Dowlaiswaram as the Inquiring Authority to inquire into the charges framed against the above said five (5) charged officers. (p.t.o.)

4. Copies of reports, charge memoranda and Written Statements of Defence submitted by the Charged Officers are forwarded herewith to the Inquiry Officer. The Presenting Officer will produce other original documents relating to the case before the Inquiry Officer. The Inquiry Officer is requested to complete the enquiry and submit his report within two months in the prescribed proforma, as per the orders issued in G.O.Ms.No.679, G.A. (Ser.C) Department, dated 01.11.2008 and Circular Memo No.56183/Ser.C/99, G.A. (Ser.C) Department, dated 15.10.1999.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
SECRETARY TO GOVERNMENT

To

The individuals **through** the Engineer-in-Chief (AW), Water Resources Department, Vijayawada.

The Chief Engineer, Godavari Delta System, Dowlaiswaram and the Inquiring Authority (w.e).

Copy to:-

The Engineer-in-Chief (AW), Water Resources Department, Vijayawada for information. with a request to submit the dated acknowledgements of the Charged Officers to Government without any delay.

The Superintending Engineer, Irrigation Circle, Dowlaiswaram and Presenting Officer in this case.

SF/SC.

// FORWARDED :: BY ORDER //

SECTION OFFICER